

UNITED STATES LAWN MOWER RACING ASSOCIATION 2020 RULE BOOK

***USLMRA
Copyright 2020
U.S. Lawn Mower Racing Association***



**Colten Miller
USLMRA
2019 Driver of the Year**

***U.S. Lawn Mower Racing Association
13433 Moffett Rd.
Suite "E"
Wilmer, AL 36587
Office 251) 645-2942
E-mail: letsnow@gmail.com
Web Page: www.letsnow.com
<http://www.facebook.com/uslmra>***

15 January, 2020

To USLMRA Local Chapters and Affiliated Clubs

Happy Mow Year!

After a successful 27th USLMRA STA-BIL Lawn Mower Racing Season in 2019, we are now set for our 28th season and beyond... and we need your help.

The USLMRA staff continues to work on obtaining racing venues for the 2020 season and the schedule will be posted and updated as events are acquired.

We need all racers at all USLMRA events (Affiliated Clubs, Local Chapters and Nationals) to be dues-paying members, and we need your help to make sure that happens. Dues are \$20.00 on-line or \$25.00 on site. If racers do not feel that \$20.00 to support USLMRA is justified, they will not race with USLMRA. Information will not be released to NKA until your members are in our database. If we discover that racers are allowed to race at the local level without having paid USLMRA dues, the Chapter or Club will lose its NKA insurance.

We need 100% compliance with NKA insurance requirements. Delinquent payments and non-reporting will now stop. Nicci at NKA is quite understanding, indeed lenient, but I no longer am. USLMRA will no longer police NKA compliance. One instance of NKA non-compliance could result in the revocation of your NKA insurance.

We know there has been some changes in officers in a few of our clubs but we need all clubs to update their club information profile (form attached). Along with a list of all racers with their e-mail or phone number and class raced. If you are using the USLMRA Rule Book all is fine, but if you have additional classes outside the USLMRA Rule Book or using a different rule book it MUST be submitted for approval and safety compliance.

Gold Eagle Co. / STA-BIL: Let's remember to show support, value, social media mentions and tags, on site visibility and an overall appreciation for Gold Eagle Co. and STA-BIL. Gold Eagle Co. is the USLMRA Title Sponsor, benefactor and corporate advisor. Without Gold Eagle Co., USLMRA would look very different.

As always, we look forward to a successful season of racing in 2020.

Thank you,

Bruce Kaufman
Founder & Advisor
USLMRA

Kerry Evans
USLMRA President

Manny Torres
USLMRA Vice President
National Race/Tech Director
National Chief Steward

*It is the responsibility of the builder and driver to adhere to, and be
Familiar with, the requirements of this rulebook.*

If, after reading these Regulations you need a clarification, you are encouraged to contact one of the Staff members listed on page 4 PRIOR TO RACE DAY. We want everyone to race, BUT we are creating fairness, safety, consistency and enforcement of USLMRA rules. Competitors must be aware that Clarifications are offered in good faith and do not afford specific mowers protection from subsequent protest.



Rule Book Updates/Changes

15 Jan 2020

Welcome to the 2020 Racing Season;

As always, the USLMRA staff holds discussions and debates among themselves and we speak with several racers about rule changes, clarifications and updates and the results have been inserted in this year's rule book.

The intent is to make the rule book as simple as possible but keep in mind that no matter how much is debated, we can never satisfy all members. We must make decisions that is in the best interest of USLMRA. As the season progress if any decision is made to make additional changes then they will be made and the membership will be notified.

As you all know that when race day arrives time is really tight. Going through registration and Tech can be time consuming and stressful, not only for the racer but for the staff as well. So, it is asked that all racer be patient doing this time and be prompt when going through all the phases in preparation for racing. Keep mind we doing the best we can. However, to make the process go smoother it is asked that when you arrive have your machines ready for inspection and clean this believe it or not will speed up the process during tech.

With the type of sport we have we encounter 100 different personalities and racers of all walks of life, We have doctors, school teachers, business owners, firefighters, truck drivers to name a few and both young and senior racers. So, we as a staff try to accommodate all but there are time where this isn't possible. So, we ask that you take this into consideration when you get frustrated or upset. Just keep in-mind this is just a lawn mower race and you get no prize money, just a \$15.00 trophy. So just sit back and enjoy the fellowship and racing and have fun.

With all that said we look forward to seeing everyone this season.

v/r

Manny

Manny Torres
USLMRA Vice President



USLMRA NATIONAL STAFF

USLMRA Founder

Bruce Kaufman

(847) 272-2120

bruce@letsmow.com

**USLMRA President
Chief of Administration
& Chief of Timing & Scoring**

Kerry Evans

(251) 645-2942

kerry@letsmow.com

**USLMRA Vice President
National Race/Technical Director
National Chief Steward**

Manny Torres

(410) 808-5641

manny@letsmow.com



USLMRA Licensing Rules

USLMRA License, Definition: A USLMRA License is issued to a person who has raced at a prescribed class level and their experience is such that they are believed to be capable of racing within the licensed class in a safe manner.

Rookie Racer, Definition: A person who has not competed in a USLMRA Series US Points Race in any Prepared Class or FXS, & FXT Class within the past 12 months of a Race Day.

Veteran Racer, Definition: A person who has competed in a USLMRA Series Race in Class, Prepared Class or FXS, & FXT Class within the past 36 months.

Jr. Pro. License Qualifying: The purpose of the Jr. Pro License is to allow experienced Jr. Races a method to move up in class to faster classes. Only Classes allowed to move up to are IMOW, GPS, GPT, AP, CP and FX/Single, not BP or FX/T.

Testing procedures for Jr, Pro will be followed with additional requirements:

1. Parents Signature of Release and Approval (issued by the Central USLMRA Office).
2. 16 years of age by December 31st of the race year and have or obtain a Valid Driver's License from the State of Residence.
3. If 15 years of age, Racer must have a Valid Drivers Learners Permit from the State of Residence and obtain Driver's License when s/he turns 16 years of age of that race year.
4. 15 yrs. old drivers can test for IMOW, GPS, GPT, AP, CP and FX/Single only, not BP or FX/T.
5. A minimum of one (1) year racing experience in the Jr's class, J/P or G/PK and have raced more than 12 Competitive Events races the year. Definition of a Competitive Event: On any given Race Day you have at least one (1) heat and one (1) main. That equals two (2) Competitive Events. Two (2) heats and one (1) main = three (3) Competitive Events. 12 will add up quick. In other words, heats and mains count toward the 12 required Competitive Events. The goal is seat time.
6. Allowed to be tested on Rules of Racing, such as Flags and passing.
7. To be tested in the class desired to class into, by at least 2 staff members picked by USLMRA Executive Staff
8. It is recommended that this procedure be followed across all levels of USLMRA Lawn Mower Racing, A/Cs L/Cs and the STA-BIL Nationals and that all racers age 15 years and under stay in classes that have governed engine controls until they meet these criteria. All Guidelines and Approvals must come from our USLMRA Office (Wilmer, Alabama, Kerry Evans) or Chief Tech. Office (Port Deposit, MD, Manny Torres) for Final Approval.
9. *Note: If Racer has special reasons why they cannot obtain a valid State Issued Driver's License, and it is a non-criminal matter, they can contact either USLMRA Office and discuss.
10. Example: The State requires a driving course before a driving test can be given and the waiting list is 6 months. We can talk about it on your intentions. A birth certificate will be needed to verify age.

Pro Racer, Definition: (BP, FXS, & FXT): A person, 18 years of age or older, who has raced in at least ten (10) USLMRA Races (Local Chapter Races or Affiliated Club Races) in the BP, FXS, & FXT Class, with at least four (4) of the races having been USLMRA Series Races. Also, an Adult racer who has raced in the prepared classes for years can be considered a Pro Racer

I. LICENSING: STA-BIL SERIES

- 1) A Rookie Racer shall not compete at a USLMRA Series Race in BP, FXS, & FXT Class.
- 2) License can be issued in each class a racer competes in.
- 3) Pro Racers shall be permitted to race in all classes at any USLMRA Series U.S. Points Race.
- 4) “Veteran License” will be issued to racers meeting licensing criteria in (J) Prepared Class, IMOW, A Prepared, C Prepared, G Prepared.
- 5) “Pro License” will be issued to racers meeting licensing criteria in BP, FXS, & FXT Classes.
- 6) A License may be issued to a racer for any class at the discretion of the Race Day Chief Steward for situations including, but not limited to a racer who can verify participation in a similar class in non-USLMRA affiliated race events; a satisfactory display of driver competence; a racer 16 to 18 who has previously raced in at least four (4) USLMRA Series races.

II VETERAN RACERS OBTAINING A PRO LICENSE

Veteran Racers may obtain a Pro License by racing in at least ten (10) USLMRA Races (USLMRA Series or Local Chapter Races) in any Veteran Racer Class, with at least four (4) of the races having been USLMRA Series Races, subject to approval of the National Race Director.

III. LICENSING AT THE USLMRA LOCAL CHAPTER LEVEL

Issuance of License is at the discretion of each Local Chapter

IV. INTENT

To recognize the ever-increasing speeds of racing lawn mowers and the wide range of racer experience and to create a competency level to be adhered to and legislated. To recognize the fact that racers may purchase entire racing machines or component parts, creating the potential for a disparity of driving expertise. To raise entry criteria in the B Prepared and FX Classes.

V. SPECIAL CIRCUMSTANCES

Age Limits have been modified for racing in the AP class for those drivers who meet the following criteria;

- ✓ be at least 13 years of age
- ✓ have 2 years’ experience in JP at National level events
- ✓ have 1 year experience in GPK at National Level events

These are not negotiable and are for the safety of the young drivers who meet the above mentioned requirements.

USLMRA realizes special circumstances may arise regarding Licensing. Racers are encouraged to communicate with the National Chief Steward to discuss their situation.

GENERAL COMPETITION REGULATIONS

I. RULES OF THE TRACK

A) No driver who has consumed any alcoholic beverage on the day of an event may participate in a practice or race event. **NO alcoholic beverages may be consumed by ANY driver, or race staff before the end of the last race or other on-track activity.** NO illegal drugs or controlled substances shall be tolerated on the track premises **AT ANY TIME.** Violation **will** result in disqualification and loss of points.

B) **NO BUMPING WILL BE TOLERATED**

C) **The responsibility for a safe pass rests with the overtaking driver.**

D) The following flag signals will be obeyed without question:

GREEN: The race/practice is underway when the green flag is waved.

YELLOW: Take care, Danger. **NO PASSING ON ENTIRE COURSE.** Drivers form a single line and close up with the leader, and follow the Starter's directions. Very slow machines may signal following machines to pass under yellow.

YELLOW & WHITE: These two flags drawn together by the starter are to indicate that the field is not sufficiently bunched for the restart. If you see this signal, close it up!

RED: Stop racing immediately. Clear the course as much as possible.

BLACK: Generally, for a driving infraction or equipment violation. Driver must complete lap and pull into the pits for consultation with the Chief Steward at the designated spot. A furred black flag means the driver must clean up his/her act or receive a full black flag.

WHITE: One lap to go. When Crossed with GREEN it means half way-point.

CHECKERED: End of race or practice session. Driver must complete lap and pull into pits or **impound area.**

E) Driver must keep **both hands** on the steering wheel, except to momentarily operate other controls.

F) If a driver leaves the course, he/she must re-enter the course as close as possible to the same point the mower left the marked track. The driver may not simply reenter further down the track.

G) If a mower stalls on the course, the driver's first responsibility is to move the mower to a safe position at least **10 feet off the course.** **Pit Crew or guest may not go on the course at any time during a race unless specifically directed to do so by the safety crew. This could lead to Driver Disqualification!**

H) Mower must be completely stopped before driver dismounts.

I) Unsafe on track/off-track driving practices may result in disqualification.

J) **All drivers must attend all announced driver's meetings.** Failure to attend the MANDATORY Drivers Meeting will result in not being allowed to participate in the day's events, Practice, Heats, or Features.

All first-time **USLMRA National Event** drivers must attend an announced rookie driver's meeting. Roll may be called, and drivers may be penalized or disqualified for failure to attend. The race day Chief Steward may override this ruling on a case by case situation with approval from the USLMRA President or Vice president in his absence.

K) Grid positions will be determined on race day by random public draw during registration.

L) Protests against another driver or his/her mower must be lodged in writing with the Race Day Chief Steward on an official protest form prior to the start of the race, or within 30 minutes of completion of the day's last race. **Enforcement of these rules depends on a protest being filed with the Race Day Chief Steward or any Race Day Staff. The Race Day Chief Steward has final say on all protests.**

M) In the JP & IMOW Class we will still use the modified Le-Man's Style Start; however, drivers will no longer be required to **"Run to their Mowers!"** This is to accommodate Handicapped, and Elder racers who have difficulty running across the track and are completely overwhelmed by the young drivers in this class. The IMOW Class is designed to test driver's skills with governed engines and Gear ratio mandated drive trains, not their ability to run across the track. Drivers will stand directly behind their mowers with their tether in hand arms stretched straight in the air. When the Head-flagger drops the green flag, the driver will move either to the right or left side of the mower and mount the mower, start it and begin to race. At no time will the driver JUMP over the back seat/fender to mount the mower.

N) Laps may be counted under the yellow flag. However, there will be a minimum of two laps, under green, after a yellow to finish the race (Green, White, and Checkered). A time limit will be set to the running of each class of 15 mins. The White flag will be thrown followed by a Checkered after this time regardless of laps finished. A Red Flag will stop the Clock.

O) Drivers involved in an incident must be inspected in the grid area at the discretion of the Technical Inspector(s) and the Race Day Chief Steward.

P) All mowers causing a caution/accident will be moved to the end of the racing order after it's determined that they are safe to continue.

Q) The first five finishers in each class of a feature Race **MAY BE CALLED TO** return to the start/finish line for racer interviews and/or trophy presentation unless otherwise directed (victory laps are permitted).

R) **No onboard communication devices or spotters on the side of track are allowed**

S) Racing will begin with rolling starts for all classes except JP and IMOW. Local Chapters and affiliated clubs may still use Le Mans if they wish.

T) Starting grid will be determined by a random draw during registration for heat races, not by time trials. Starting grid for STA-BIL Finals will be determined as stated in section VIII, 2

U) Due to the extreme speeds and the width of the New FXS & FXT classes the race day Chief Steward will determine the number of mowers that will be allowed to race at one time. An A Main and B Main race may be used to determine the feature finalist. This may also be needed and used in other classes.

V) **The racing order for all National Points Races: JP, AP, GPK, IMOW, GPS, CP, GPT, BP, FXS, & FTX.**

W) In JP & IMOW **If a Yellow or red flag is thrown before the lead mower completes the first lap, the race will be restarted, And drivers will be lined up in original starting grid, but only once,** if a second yellow/red flag is thrown before completion of the first lap, the race order will be determined by the order the mowers crossed the Start/Finish line at the start and they will resume racing by using a rolling start. The racer causing the 2nd Caution goes to the rear.

X) The Race Day Chief Steward shall have the right to remove from competition at any time any driver, crew member or guest in the paddock who does not comply with these Regulations, who fails Technical Inspection or who, in the Race Day Chief Steward's sole discretion, is exhibiting behavior which is dangerous to participants or spectators.

Y) At National point races where there are not a sufficient number of mowers entered in certain classes, the National Chief Steward may at his discretion combine classes, for example combining JP with IMOW, GPS with GPT, AP with CP etc.

Z) All Governed classes will remain on the track after feature and kept running for RPM checks and for JP and IMOW Tire Pressure check. Leaving the track or shutting the engine down **may result** in Disqualification

II. RULES OF THE PITS & GRID

A) No person under 16 years of age shall be on the grid. Persons 10 to 17 years of age may be on the grid with an approved parent's consent form on file with the Race Day Chief Steward.

B) **Mower pit speed is 5 mph maximum.**

C) No mower may have more than 1 attendant on the grid, in addition to the driver.

D) Long pants, closed shoes and shirts are required in the track area.

E) No smoking on the track or track infield during the racing event.

F) Refueling: Driver must dismount and engine must be turned off when fuel is added. A fire extinguisher (liquid fire rated) must be in the hands of a crew member any time fuel is added to a hot machine.

G) Mower must be completely stopped before driver dismounts.

H) Crews are under the direction of the Chief Steward or Pit Steward at all times.

I) Driver's are responsible for the conduct of his/her guests and crew, even while on the track.

J) Unauthorized personnel shall not enter the racing course. All individuals entering the controlled area which includes but is not limited to the racing course, grid and pit area, including crew members and guests, must sign a release and display a wristband discharging the USLMRA from liability.

K) No pets are allowed on the racing course. Pets in the pits must remain on a leash and owners are responsible for cleaning up after their pets

L) The USLMRA reserves the right to limit pit space. Campers and RV's may be permitted on Race day ***only if space allows.***

M) No vehicles other than racing mowers and official vehicles such as tow mowers shall be on or near the track.

N) Entry fees shall be: \$20.00 maximum for USLMRA-sanctioned Points and Local Chapter races; \$30.00 for the **USLMRA Finals.**

O) **"EFFECTIVE IMMEDIATELY"**: Only one person shall be allowed on a racing lawn mower. This will include parade laps, sanctioned races, and/or any occasion sponsored or administered by, or with the knowledge of, the USLMRA or which uses the STA-BIL logo or publicity in any way. The person on the mower must be a registered as a racer for the event.

P) Everyone in the Pits, Racers and Guest MUST have NKA Wrist Bands purchased at the registration table. These wrist bands are for the entire racing weekend (Both days of racing) if lost the individual must purchase another wrist band.

No exceptions will be made to this rule.

Q) During racing events the switching of mowers will not be allowed meaning the mower used by a driver during practice & heat races must be the same mower raced in features. No longer will a backup mower be teched for use as a backup mower.

III. DRIVER ELIGIBILITY

- A. All Drivers **must** be members of the United States Lawn Mower Racing Association.
- B. Drivers must be at least 9 years of age (Exceptions Listed in section VII). Drivers 9 to 17 years of age may compete with an approved parent's consent form on file with the Race Day Chief Steward at each event. For JP drivers a Parental Consent form can be filled out by a parent or legal guardian prior to the event. However, it must be an original, and it must be notarized. Note that this applies to the first time you race at a facility. Once one is signed for a particular facility, it is good for the year.
- C. Age on race day, 9 years old on the day (J/P Only) or in the race year?? NKA Says Age reached by December 31. So, if you are 8 years old now but will be 9 before December 31 you can race this season in J/P. If you are 17 years old and will be 18 before December. 31 you can race Pro this year with Prepared Experience.
- D. The age of GPK is 11 years old and you must have at least 1 race year with more than 6 Races in the J/P class before moving up to the GPK Class.

IV. DRIVER SAFETY EQUIPMENT

- A) In all class's drivers must wear an automobile racing or motorcycle-type **full face helmet** approved by the U.S. Department of Transportation or the Snell Foundation.
- B) Whenever held, Stock drivers must wear an automobile racing or motorcycle-type helmet approved by the U.S. Department of Transportation or the Snell Foundation.
- C) The helmet must fit snugly and be securely buckled when driver is on the track. Long hair must be kept tucked inside the helmet.
- D) Goggles or a face shield are required. Glasses are not sufficient.
- E) Every driver must wear long pants, long-sleeved shirt or jacket, full-finger gloves and leather over-the-ankle footwear on the track. Motorcycle leathers or anti-abrasion karting suits are highly recommended. No loose clothing (un-tucked or un-buttoned shirts, etc).
- F) An approved, racing neck support is **MANDATORY** in *every class*.
- G) Driver must have a full 10BC-rated fire extinguisher in his/her equipment.
- H) It is highly recommended but not mandatory that Drivers wear Chest Protectors of their choice for their safety

V. TECHNICAL INSPECTION

- A) Every mower entered in any USLMRA event must be approved for competition by Technical Inspection before practicing or racing at any event. A **Safety Tech/Build Tech** sticker will be issued at **each** race. Top five finishing machines **may be required to go directly** from the track to the impound area (when provided), and be inspected for Build Tech compliance. **Failure to impound** directly from the track may be cause for automatic disqualification and loss of points. All JP's, IMOW's, GPK's, GPS's & GPT's will remain on track for Post Race inspection after feature races. JP & IMOW racers at the discretion of the Chief Steward may be required to have gear ratio checked as a group, participation is mandatory if this is determined to be needed.
- B) The generally accepted category is riding mowers and lawn tractors with rear tires 20 inches diameter and under. Mowers from England (with trailer seats) may compete. Grass catchers are not permitted. **See class rules for engine size limits.**
- C) **Final determination of eligibility and classification is up to the Chief Technical Inspector. Note: Race Day Chief Steward if the Chief Technical Inspector is not available.**
- D) A STA-BIL Fuel Stabilizer sticker **must be displayed in clear view on the right side and front of mower.**
- E) Drivers may be tested by race officials at any time for knowledge of flag procedures and these Regulations. Drivers must pass all tests in order to practice or race.
- F) Drivers must show their personal safety equipment at Technical Inspection before practicing or racing at any event.
- G) When going through Tech ensure you bring the complete mower, which means with hood and transponder, **no exceptions!**
- H) Only the driver will accompany the mower thru tech with the exception of minors, a parent may accompany them. This is to eliminate crowding around the tech line.

VI. GENERAL MOWER REQUIREMENTS

NOTICE

These general requirements apply to ALL racing classes. Any EXCEPTIONS to these requirements are listed in the individual class build rules.

A) CUTTING BLADES MUST BE REMOVED COMPLETELY FROM ALL MOWERS. ALL MOWERS MUST HAVE A CUTTING DECK SECURELY MOUNTED IN THE STOCK POSITION, WITH A MINIMUM OF 2.5" GROUND CLEARANCE UNDER THE LOWEST POINT OF THE DECK. Decks cannot have any type of bumper/Guard (with the exception of FXS and FXT) around it unless it is Factory designed. All prepared classes and JP/IMOW; GPK, GP& GPT must have a factory type deck not home design.

B) No overhead cam engines allowed except in the stock class. No liquid cooled engines in any class

C) All non-stock mowers MUST be equipped with an automatic throttle closing device.

D) All mowers must be equipped with a kill switch, which will turn off the ignition if the driver leaves the mower and have a tether, mechanically attached to mower and driver. Velcro is **not** acceptable. Pressure switches are not allowed. Kill switch must remain in closed position (engine not running) until driver mounts mower. Additional switches that can by-pass the kill switch are not allowed under any circumstance.

The ignition interrupter kill switch and cap/prong must be commercially available for racing type vehicles such as jet skis, snowmobiles, 4-wheelers etc. Magnetic or any other form of homemade switch is not allowed.

E) Mower brakes must be in good condition, easily operated and operating on at least two rear wheels.

F) Brakes may be improved in any way. **Rear Brake rotors may not be mounted on jackshafts only on rear axles**

G) Throttle and brake controls may be relocated.

1.) All mowers **in all classes** be fitted with sturdy double return springs mounted at two different mounting points on both ends to help eliminate throttle from sticking or failure to completely close when released.

Below are two photos to help understand these precaution measures: (these are just some examples of the intent)

Photo 1: This is the correct way to attach the throttle return springs on the carburetor Notice they are mounted on two different Locations and not together;



Photo 2: Notice that the springs are attached to the same bracket **this is incorrect!** They must be mounted on two separate mounting brackets. This way if for any reason one breaks you will still have one spring attached.




For V-twins and different style carburetors used on FXS/FXT, the same principle must be used. For example, FXS/FXT using Mikuni or the CV style Keihn Carburetors the Slide Spring can count as one return spring and you must have a separate external spring attached as the safety spring.

H) **FRAME:** Discrete strengthening is allowed. **Front and rear axles must use original frame as primary mounting Point.** No Tubular frames allowed in FXS/FXT or any other class. Must use original frame, which can be Reinforced.

- I) Mowers must be free of projections, which could injure the driver or a competitor, or damage another mower. No axle or wheel mounting bolts may protrude beyond the face of the tire sidewall.
- J) Mowers must be safe and complete, all parts and panels in place, with no missing nuts, bolts, cotter keys, etc.
- K) All exposed chains and sprockets must be fitted with metal guards, which will direct a broken chain downward.
- L) Mowers must be neat and clean, with paint in new or very good condition. No excess dirt, oil, grease, rust or primer. Sponsor graphics must not interfere with mower's racing numbers or class letters.
- M) No front bumpers or push bars except in FXS & FXT.
- N) *All mowers that do not have the top of the engine completely covered by the hood must have the flywheel covered by either the recoil housing, the stock wire housing or racer made cover.*
- O) Race numbers should be of a sharply contrasting color from their background, and should be visible from all four sides of the mower. All mowers must have their number visible from the front for grid line up and scoring purposes. **It is recommended that racing numbers be pre-registered with the RACE NUMBER COORDINATOR.** Machines without numbers will have them assigned on race day. Racing numbers are "owned", and will force unregistered duplicates to change. Class letters, should be a minimum of 2" high, and be shown on both sides of the mower.
- P) All positively charged terminals must be insulated with a cover or heavy tape, and battery must be well secured.
- Q) **No offset or stagger except for FXS/FXT.** Body must be mounted in the center of the wheels. **Tires must match in Size, Brand and tread design per axle.** **Once again, No staggering will be allowed** or exposed rear tires and on centerline. Offset measured from centerline to the outside of tire sidewall. Wheelbase may not be altered.
- R) Glass headlights must be taped or removed.
- S) You will be allowed but not required a Maximum width 40" sidewall to sidewall unless otherwise stated in the class build section.
- T) Steering wheels may be replaced with any commercially available pieces, but not substituted for each other. Steering Wheels may not be mounted off center unless originally mounted offset. Steering columns must pass through the original hole in hood or dash at the original angle. All Nuts and bolts attaching the steering assembly (tie rods and spindles) must be secured with Lock Nuts, castle nuts with carter pins, or close pins. **Handlebar type grips may not be added to steering wheels in any class. No push pull steering in any class classes.**
- U) Tires must be lawn tractor tires. No Snow Hog, tiller, A.T.V, commercial mower or performance compound or competition kart tires. Tires must be of same tread design and size on each axle (front tires the same, rear the same). **Flat tires will be black-flagged!**
- V) No centrifugal and/or torque converter clutches except in FXS, & FXT or Open Classes.
- W) Minimum 4" ground clearance to frame, 2 ½" ground to deck unless otherwise stated in class build section.
- X) **All mowers must utilize a clutch.**
- Y) **Flywheels:** Aluminum Flywheels are mandatory for prepared class racing mowers, however all governed class racing Mowers (IMOW, JP, GPK, GPS and GPT) **must** have original stock flywheels. As RPM's and speeds increase, it is also highly recommended that in all stock ungoverned classes that a scatter-shield be built and mounted for added safety protection, but not required.
- Z) **Fuel lines must be clamped at all joints.**

AA) **Rear Bumpers:** Will be allowed but not required. If used must be built to these standards:

Single Pipe bumpers are NOT of standard and may NOT be used.



BB) No slick tires in any class

CC) You are allowed to discreetly move, modify and altered Fenders, so that driver can lower the seat assembly. Fender trimming allowed, however chopping of fenders not allowed. The following guidelines are given:

- a. Trimming fenders so that a 1/2" of clearance between the fender edge and the top of the tire.
- b. Flaring the fender so that 1/2" of clearance remains between the fender edge and the top of the tire.
- c. Trimming should follow the contour line of the fender, not merely remove sheet metal in the immediate area.
- d. Trimming or flaring that results in sharp edges will not be allowed
- e. Fender should retain its original look

f. Modifications to the fender assembly will be allowed to allow the lowering of the seat; however certain guidelines are given (See Photos). Lawn mower seats only, Seat bottom will be no lower than 13" from the ground. Fender cutouts are permitted but must have protective trimming to eliminate the possibility of having sharp edges.

Most Preferred Fender/Correct Modifications



Unacceptable/Incorrect Fender Modification



If in doubt, it is best to check with the National Tech Inspector or National Chief Steward for further clarification.

DD) Due the increased speeds that today's race mowers are achieving it has been decided to change the 2016 rule book to allow all "**Prepared Class Mowers**" to have Side Bars commonly known as Nerf Bars mounted on the running boards as long as they meet the set dimensions noted below.



EE) **“Prepared Class”** Mowers with Horizontal Engines that were factory built with such will be permitted to have driveshaft’s as long as the mower has an operational clutch, however the drive shaft will be covered and go to a shift able transmission and the transmission will connect to the rear axle by either chain or belt.

FF) Governed Engine classes (JP, IMOW, GPK, GPS & GPT), engines must be completely stock! With the exception of exhaust. In other words, as removed from a grass cutting mower with no modifications, example; Starter, air cleaner, double batteries, or internal modifications. The only authorized modification is the exhaust system.

FUEL and FUEL DELIVERY

The only acceptable fuel is pump gasoline. Fuel must be pumped fuel bought at Service stations, example SUNOCO racing fuel or VP Racing Fuel sold at Marathon Service stations. Can fuel or Engineered Fuel is now excepted as long as it does not contain Alcohol, Zero%. Additives, other than STABIL Fuel Stabilizer are prohibited. Any apparatus other than the carburetor which can be used to introduce any gaseous or liquid substance into the induction flow, whether connected or not, is prohibited, and will result in disqualification. Such devices include, but are not limited to, Nitrous Oxide, alcohol or water injection systems, turbo or superchargers, and/or the attendant hardware consistent with these systems. Any attempt to conceal or disguise such apparatus will be considered a flagrant violation and may result in expulsion from the USLMRA.

No pressurized fuel systems or electric fuel pumps are not allowed on closed-course machines.

VII. RACING CLASSIFICATIONS

Race Mowers will only be allowed to enter and race in the class that they were built for, i.e. AP in AP, CP in CP, BP in BP, FXS in FXS, & FXT in FXT. The JP and IMOW classes are the only two that the same mower can run in both classes’ races. GPK and GPS can run in both classes also, this is to allow Parents or another driver to run in the either class

A) Junior Prepared Class (for Ages 9 – 15) Class designation: JP

This is a highly regulated class that is specific to the modifications that are done. The intent is to have as nearly identical mowers as possible so that Junior Prepared Drivers can gain experience and develop skills needed to advance to the “Prepared Class” when they become of age. (Age for J/P can start at 9-year-old by the December 31 of the race year)

Special requirements:

- a. All JP drivers 10-15 years old must be current members of USLMRA

- b. Parents/ legal guardian must be present
- c. Parents/ legal guardian must be available to work corners or in the infield if **needed** during JP/JPK

Races

- 1) **TYPE:** Must be a full-size lawn tractor, front engine, stamped steel frame and manufactured as such, as delivered except for the modifications listed below. Mid engine frames are not allowed
- 2) **ENGINE: Governed engines, 3650-RPM max. (No Load).** Single-cylinder Over-Head Valve Engines must be completely stock. **After market consumable parts such as air filters and spark plugs may be used as long as they are a direct stock replacement.** Old style L-Head engines may still be used.
- 3) **Exhaust design is open, but must terminate away from driver and competitors, in a rearward and/or downward direction and present no apparent safety hazard.**
- 4) **Driveline:** Transmission or Transaxle must be shift able and of Lawnmower origin and gear ratio in highest gear is to be no less than 8 to 1.

Example: *while in the highest gear the rear wheels can turn no more than one revolution every time the engine rotates eight times.* **No Veri-Drives, No centrifugal and or torque converter clutches.** Mowers using a chain drive type transmission must use an axle-mounted brake system.

5) **Body:** Must be stock, without external alterations, although discrete strengthening is allowed. Hood must be secured. Also, Hoods must be hinged or a hole in grill for access to spark plug wire for “RPM” checks. Minimum 4” ground clearance to frame, and 2 ½” from the ground to the bottom of deck, Footholds must be discrete, and no more than 2” high, made of flat or “L” stock (no rod stock), and made such that the foot can not become entangled in a rollover.

6) **Deck:** Mowers must mount steel factory decks. The deck must be at least as wide as either running boards or body edge whichever is wider. Decks may not extend any more than 2” beyond the tire sidewalls on each side. Deck halves may be mounted to running boards. Decks must be secure.

7) **Front and rear axles** must remain in stock location. Front spindles are to be min. 5/8” in diameter. All steering linkages must use Bolt through ball-type or spherical threaded rod ends. Rear axles must have either lock collars or a nut and bolt through the axle, no longer will C-clips be allowed, Front spindles will use either lock collars or castle nuts with cotter pins, lock nuts will no longer be sufficient. Rear axle may use open differential, locked, “live” or solid axle. No single wheel drive.

8) **Steering;** Front axle and steering may be reinforced, substituted or fabricated. In the Case of racer-fabricated axles, these will be subject to the judgment of the Technical Inspector as to their apparent safety for racing.

No push pull steering in any class,

Aluminum may not be used as the material for the one-piece axle.

9) **Wheelbase;** Minimum 39” unaltered. **Width;** Maximum 40” sidewall to sidewall.

10) **Wheels:** Metal rims 5” minimum front wheels, 8” minimum rear wheels. Rear tires maximum is 16” diameter as written on the sidewall of the tire. **Actual Diameter may not exceed 16 ¼”** **Maximum 15 PSI tire pressure**

11) **Kill Switch:** Mowers must be equipped with an automatic throttle-closing device. All mowers must be equipped with a kill switch, which will turn off the ignition if the driver leaves the mower. Velcro is **not** acceptable. Pressure switches are not allowed. Kill switch must remain in closed position (engine not running) until driver mounts mower. Additional Switches that can by-pass the kill switch are not allowed under any circumstance.

12) All mower using hand throttles that are adjustable must disable them so that they cannot be adjusted or moved by the driver at anytime during competition. Cables must also be secured so that the engine RPM will not be affected by moving the cable in anyway, or at any time.

MODIFICATIONS NOT LISTED ARE NOT APPROVED

INTENT: To provide a safe opportunity to demonstrate the driver’s ability when in competition with essentially identical mowers. This is a highly regulated **class to insure uniformity between JP machines. As you can see, these machines are essentially Prepared Chassis’ (AP, CP, & BP) with IMOW drive trains. This allows young racers to gain race experience at IMOW speeds which will approximately reach 15-20 mph (on a USLMRA US Points Track), but with a more stable platform that can easily be upgraded into the prepared classes when the driver reaches the Minimum age.**

B) **IMOW.** Class designation: **I**

This is a highly regulated class that is specific to the modifications that are done. The intent is to have as nearly identical mowers as possible so that this class is based on driving ability.

- 1) **TYPE:** Must be a full-size lawn tractor, front engine, with steering column behind motor, stamped steel frame and manufactured as such, as delivered except for the modifications listed below. Mid engine frames are not allowed
- 2) **ENGINE: Governed engines, 3650-RPM max. (No Load).** Single-cylinder Over-Head Valve Engines must be completely stock, **After market consumable parts such as air filters and spark plugs may be used as long as they are a direct stock replacement.** Old style L-Head engines may still be used.
- 3) **DRIVELINE:** Transmission or Transaxle must be shift able and of lawnmower origin and gear ratio in highest gear is to be no less than 8 to 1 **Example:** while in the highest gear the rear wheels can turn no more than one revolution every time the engine rotates eight times. ***No Veri-Drives***
- 4) **BODY:** Must be stock, without external alterations. Hood must be secured.
- 5) Front and rear axles must remain in stock location. Front spindles are to be min. 5/8" in diameter. All steering linkages must use ball-type or spherical threaded rod ends
- 6) Minimum 4" ground clearance to frame, 2 1/2" ground to deck.
- 7) Front axle and steering may be reinforced, substituted or fabricated. In the case of racer-fabricated axles, these will be subject to the judgment of the Technical Inspector as to their apparent safety for racing.
Aluminum may not be used as the material for the one-piece axle.
- 8) Maximum width 40" sidewall to sidewall.
- 9) Rear axles must have either lock collars or a nut and bolt through the axle, no longer will C-clips be allowed, Front spindles will use either lock collars or castle nuts with cotter pins, lock nuts will no longer be sufficient.
- 10) **WHEELS:** Metal rims 5" minimum front wheels, 8" minimum rear wheels. Rear tires maximum is 16" diameter as written on the side wall of the tire. Actual diameter may not exceed 16 1/4"

Maximum 15 PSI tire pressure

- 11) Rear axle should use shaft locks, center bolts, or thru-bolts to secure the rear wheels.
- 12) **DECK:** Mowers must mount steel factory decks. The deck must be at least as wide as either running boards or body edge whichever is wider. Decks may not extend any more than 2" beyond the tire sidewalls on each side. Deck halves may be mounted to running boards. Decks must be secure.
- 13) Engines must be stock and complete. After market consumable parts such as air filters and spark plugs may be used as long as they are a direct stock replacement.
- 14) **Exhaust design is open, but must terminate away from driver and competitors, in a rearward and/or downward direction and present no apparent safety hazard.**
- 15) Footholds must be discrete, and no more than 2" high, made of flat or "L" stock (no rod stock), and made such that the foot cannot become entangled in a rollover.
- 16) Minimum 39" unaltered wheelbase.
- 17) Rear axle may use open differential, locked, "live" or solid axle. No single wheel drive.
- 18) No centrifugal and or torque converter clutches
- 19) Mowers using a chain drive type transmission must use an axle-mounted brake.
- 20) Hoods must be hinged or with a hole in grill provided for access to spark plug wire for RPM checks
- 21) 24v/ dual/single battery starting systems are not authorized
- 22) All mower using hand throttles that are adjustable must disable them so that they cannot be adjusted or moved by the driver at anytime during competition. Cables must also be secured so that the engine RPM will not be affected by moving the cable in anyway, or at any time.

MODIFICATIONS NOT LISTED ARE NOT APPROVED.

INTENT: To provide a safe opportunity to demonstrate the driver's ability when in competition with essentially identical mowers. This is a highly regulated class to insure uniformity between machines.

*******WARNING!*******

Remove mower blades before modifying or removing the engine governor. Governor alterations will allow the engine to over speed, which may cause blade or blade assembly to explode, presenting grave danger to participants, spectators and officials around the mower, and may lead to damage of the engine and/or engine components.

C) **PREPARED:** Class designation: **G/PK, A/P, G/PS, G/PT C/P and B/P.** These mowers are as delivered from the factory except for the modifications listed below. (The age of GPK is 11 years old and you must have at least 1 race year with more than 6 Races in the J/P class before moving up to the GPK Class).

1) Engine must be originally manufactured for use in lawn mowing equipment and be stock in appearance, with the exception of air filter, air cleaner or velocity stack. (G/P/K, GPS & GPT must have stock air filter assembly and filter) Crankshaft must be in original orientation and clearance hole in the frame. Engine may be internally modified. In every class **original engine block assemblies** must be used, example; cylinder block, sumps, side covers and cylinder heads. The only exception is the valve cover which billet/aftermarket valve covers can be used to allow clearance for roller rockers if used. What does this mean? Billet side covers and sumps or forged aftermarket cylinder heads are illegal downward.

2) Exhaust design is open, but must terminate away from driver and competitors, in a rearward and/or downward direction and present no apparent safety hazard.

3) Starter must be onboard, either electric or pull-rope.

4) Driveline may be modified from the engine pulley to the rear wheels, but must utilize a shift able lawnmower transmission or transaxle. **No Veri-Drives, No centrifugal and or torque converter clutches.**

5) Rear axle may use open differential, locked, “live” or solid axle. No single wheel drive.

6) Rear axle should use shaft locks, center bolts, or thru-bolts to secure the rear wheels.

7) All steering linkages must use ball-type or spherical threaded rod ends.

8) Front axle may be pinned, bolted or welded into stock position. No suspension, no shock absorbers. **Axles must be a 1-piece beam design.**

9) Front axle and steering may be reinforced, substituted or fabricated. In the case of racer-fabricated axles, **these will be subject to the judgment of the Technical Inspector as to their apparent safety for racing.**

Aluminum may not be used as the material for the one-piece axle

10) Rear axles must be either lock collars or a nut and bolt through the axle, no longer will C-clips be allowed, Front spindles will use either lock collars or castle nuts with cotter pins, lock nuts will no longer be sufficient. Cotter pins, E-rings and C-rings alone, bent nails, hitch pins; over-center pins and quick-release pins are not sufficient for wheel retention and are not approved.

11) Wheels must be the same size on each axle, of any origin, made of metal. No dual or tandem wheels.

12) **DECK:** Mowers must mount steel factory decks: The deck must be at least as wide as either running boards or body edge whichever is wider. Decks may not extend any more than 2” beyond the tire sidewalls on each side. Deck halves may be mounted to running boards. Decks must be secure.

13) SAE-rated trailer or lawnmower tires must be used. Kart tires are not authorized for this class.

14) Footholds must be discrete, and no more than 2” high, made of flat or “L” stock (no rod stock), and made such that the foot cannot become entangled in a roll over.

15) All parts should be of lawn mower origin with the exception of those specifically mentioned above or otherwise allowed under Sec. VII.

16) Hoods and body parts such as fenders may be upgraded as long as they are of a lawn mower design.

17) External ignition Systems are not allowed.

18) Mower **must** have original stock flywheel.

19) **Fenders may be discreetly moved and altered as noted in section VII, (BB).**

20) **Must use axle mounted brakes, no lawnmower transaxle or transmission mounted brakes.**

21) **In all classes except FXS/FXT, only actual lawn mower seats will be used**

CLASSES DEFINED: (based on OEM BLOCK designation)

A/P: 4 stroke engines **10.5hp and under with a factory maximum stock original displacement of 22 cubic inches must provide spec’s** (This includes all engines both Valve-in-Block L Head and Over Head Valve). 34” minimum unaltered wheelbase, **Width;** Maximum 40” sidewall to sidewall, 4” minimum, front wheels, 6” minimum rear wheels. **Crankshaft must be in original orientation. Engine plate may be welded to frame rails in as close to the original location as possible.**

G/PK & S: ENGINE: Governed engines, **3650-RPM max. (No Load).** Vertical Single-cylinder Over-Head Valve or two-cylinder opposed twin valve in block (“L” Head”) Engines must be Factory stock, complete. **After market consumable parts such as air filters and spark plugs may be used as long as they are a direct stock**

replacement. Mid-Engine frames are not allowed. 42” minimum unaltered wheelbase, 6” minimum front wheels, 8” minimum rear wheels, and there is no gear ratio restriction, **Width;** Maximum 40” sidewall to sidewall.

G/PK: Age requirements are altered for this class; JP Drivers between the ages of 11-15 years old with no less than 2 years JP Experience and has competed in 4 STA-BIL Points Races are eligible to compete in this class. Build requirement will be identical to the adult GP build requirements.

G/P/T: Engine must be a vertical v-twin and originally manufactured for use in lawn mowing equipment and be completely stock with the exception of air filter, air cleaner or velocity stack. Must have stock air filter assembly and filter) Crankshaft must be in original orientation and clearance hole in the frame.

Max RPM will not exceed 3650

C/P: All single-cylinder overhead valve or Valve in Block (L Head) or two-cylinder opposed twin valve in block (“L” Head) 4 stroke engines, 42” minimum unaltered wheelbase, **Width;** Maximum 40” sidewall to sidewall. Mid engine frames are not allowed, 6” minimum front wheels, 8” minimum rear wheels.

B/P: All vertical overhead valve V-twin 4 stroke engines, 42” minimum unaltered wheelbase, **Width;** Maximum 40” sidewall to sidewall. Mid engine frames are not allowed, 6” minimum front wheels, 8” minimum rear wheels.

INTENT:

To allow competitors the opportunity to compete in a faster class of racing, Mowers must maintain a recognizable form of a lawn mower.

FXS & FXT Class (Basic Rules)

1. ENGINES:

- . Any allowable modifications will be stated for that class, **if it does not say you can do it, it's not Allowed.** Billet flywheels required. All cooling fins and safety shields must be intact. No diesel or liquid cooled engines in any class. FXS & FXT Engines must be mower engines or direct replacement engines (example Clone engines), no 305 or star engines.
- 2. **CHASSIS:** Frames, parts, must retain original manufacturers (OEM) specifications (no chopping) re: wheel base length unless modifications specified in particular class. Material (steel) may be added for structural strength. It is recommended that front axles be bolted or welded rigid eliminating the stock pivoting. No rear engine lawnmowers must be front engine traditional style lawn tractor with a hood covering the engine and rear fenders. No handlebars, to prevent a racer from being pierced in the event of a roll over. All tractors must have been a factory-built lawn cutting tractors. Frame width is 15” max.
- 3. **BODY WORK:** Can be customized (where allowed) but must retain some resemblance of a lawn tractor. All parts must be securely fastened to chassis i.e. fuel tanks, batteries, body work, etc. FXS or FXT Class, No front or rear wing are allowed. **Only original mower fenders and hoods**
- 4. **FUEL:** Only pump gas unless specified in that class.
- 5. **BRAKES/CLUTCHES:** Must be intact and working. If not equipped with a neutral gear all tractors must have a clutch lock out so machine can be pushed by hand. When running a centrifugal clutch, driver must be seated on machine to have it started **or rear wheels securely off the ground.**
- 6. **THROTTLE:** No fixed throttles. Foot and trigger throttles will have the two return springs as mandated in ALL CLASSES. No solid throttle cables must be braided cable like a bicycle brake cable.
- 7. **KILL SWITCH:** Tractor must have a working commercially manufactured tethered kill switch and be fastened to driver when on track in BOTH CLASSES.
- 8. **EXHAUST:** Is open, as long as it points **down and away** from driver and presents no apparent hazard. No stacks.
- 9. **SPINDLES/AXLES:** Front spindles must be drilled and cotter pinned or safety pinned. Rear axles must be locked up with axle lock collars. Rear axles must be in stock location and if a custom front axle is allowed it must be located close to the original location and not on top of chassis
- 10. **MOWER DECKS:** If mower deck is left on, blades must be removed and the deck must be securely fastened to chassis.
- 11. **SEATS:** Must be mounted in center of frame from one side of the frame to the other side. Go karts seats

allowed

12. BUMPERS/NERF BARS: Max width front: Inside tires not to cover front face of the tire. Side nerf bars are flush to the outside of tires. No sharp edges. Rear bumpers and side bars when equipped must stay in from the outside of the tires 1/2" on each side. Rear bumpers must be of round tube design to prevent climbing. A closed or continuous loop bumper is the only authorized bumper on the rear. Side crash bars/nerf bars, when equipped must be installed no more than 1.5" in from outside of tires. They must have a kart style secondary hoop that can withstand side impact. Front Bumpers on FXS & FXT cannot exceed 2" pass the sides of the Hood, and at no time will the front bumper cover or protect the front tires, they are intended to protect the front hood only. They will be made of round or square stock not exceeding 1-1/2" in diameter.

13. NUMBERS: All tractors must have a visible number. Minimum 3" height is recommended, on a contrasting background.

14. Wheel/tires: though offsetting of axles is permitted, tire sizes will be of the same size per axle, example: from left and right the same size for the front and left and right the same size on rear axles.

15. FXS & FXT frame MUST be original lawnmower frames. NO homemade frames of any type are authorized example: **tubular type homemade frames, round or square are illegal.**

16. In the FXT Class driveshafts will be permitted as long as the driveshaft is covered and connects to a gear box. At no time will the driveshaft be connected directly to the rear axle.

Factory Experimental Single (FXS) CLASS:

1. AGE GROUP: 18 years old with more than 1 full year experience in prepared class to race in FXS

2. MAX ENGINE: single cylinder OHV or Opposed twin Flat Head coming from the lawn equipment origin (4 cycle engines). No fuel injection.

3. OHV ENGINES

-Original engine block assemblies must be used, example; cylinder block, sumps, side covers and cylinder heads. The only exception is the valve cover which billet/aftermarket valve covers can be used to allow clearance for roller rockers if used. What does this mean? Billet side covers and sumps or forged aftermarket cylinder heads are illegal

-OHV engines.

-internal modifications allowed

-carburetors size/type open

-custom intake manifolds allowed

-external ignition devices are allowed, cross brands of lawn tractor OE ignition systems allowed

-External shields must remain stock.

- Mandatory billet flywheel

4. NOTE: IF the rules don't say you can do it, YOU CAN'T!

5. FLAT HEAD TWIN ENGINES:

-factory oversize pistons used to repair engine accepted

-internal modifications allowed

-carburetors size/type open

-custom intake manifolds allowed

-external ignition devices are allowed, cross brands of lawn tractor OEM ignition systems allowed

6. FUEL: Pump racing fuel allowed. No electric fuel pumps

7. DRIVE TRAIN: Centrifugal clutch, traditional belt clutches allowed. 90-degree gear boxes, jackshaft setups allowed. All chain guards must be a min thickness of 1/8" aluminum or steel.

8. STEERING: Direct steering is mandatory, must use lock nuts on all connections.

9. WHEELBASE AND MAXIMUM WIDTH: 39" min wheelbase. 42" max width. No more than 4" of total offset. Offsetting of axles, center of frame to outside of right tire is to be 23" and from center of frame to outside

of left tire is to be 19" giving a total offset of 4".

10. FRAME: Firewall protection recommended. Discreet chopping of chassis to install after market clutches, gear box, seats and axles allowed, must retain original OEM wheel base. Frame width is 15" max.

11. BRAKES: Hydraulic Brakes are mandatory. Front brakes optional

12. WHEELS/HUBS: Go Kart dirt tires are allowed, mim 6" rims on rear and 5" on front. Lawn mower tires, kart dirt tires, and mini sprint tires are authorized. Custom steel or aluminum rims allowed, **No Stock Lawn Mower Wheels**. Rear axles must have either lock collars or a nut and bolt through the axle, no longer will C-clips be allowed, Front spindles will use either lock collars or castle nuts with cotter pins, lock nuts will no longer be sufficient.

13. BUMPER/SIDE BARS: Side/crash bars mandatory, see general rules. Closed loop rear bumper mandatory,

14. MINIMUM WEIGHT: 450 lbs with driver

Factory Experimental Twin (FXT) CLASS;

1. AGE GROUP: 18 Years old with more than 1-year experience in prepared class to race in FXT.

2. ENGINE OPEN: V-Twin vertical or horizontal lawn equipment engines. Internal and external modifications allowed for all engines. After market aluminum billet flywheels are mandatory. Modification to block and heads are open. Ignition is open. **Original engine block assemblies** must be used, example; cylinder block, sumps, side covers and cylinder heads. The only exception is the valve cover which billet/aftermarket valve covers can be used to allow clearance for roller rockers if used. What does this mean? Billet side covers and sumps or forged aftermarket cylinder heads are illegal

3. FUEL: Pump racing fuels permitted.

4. Fuel pumps: no electric fuel pumps are allowed

5. DRIVE TRAIN: Is open to live axle, belt or chain drive custom gear boxes or transaxles. Centrifugal clutches allowed. Where custom drive train may be hazardous to driver protective shields must be installed, all chain guards must be a min thickness of 1/8" aluminum or steel. ATV drive train and suspension not allowed. No all wheel drive machines allowed.

6. STEERING: Direct steering is mandatory. No plastic steering wheels unless it is the type that is reinforced with steel.

7. WHEELBASE AND MAXIMUM WIDTH: 42" min wheelbase. 42" max width. No more than 4" of total offset. Offsetting of axles, center of frame to outside of right tire is to be 23" and from center of frame to outside of left tire is to be 19" giving a total offset of 4".

8. FRAME: IT is recommended that engines are separated by a safety shield or stock cowl from the driver. Discreet chassis modifications allowed for axle installation and reinforcement. Scalping of frame allowed in getting seat down on tunnel type chassis. Frame width is 15" max.

9. BRAKES: Hydraulic brake mandatory. Front brakes are Highly Recommend.

10. WHEELS/HUBS: Go Kart dirt tires are allowed, mim 6" rims on rear and 5" on front. Lawn mower tires, kart dirt tires, and mini sprint tires are authorized. Custom steel or aluminum rims allowed, **No Stock Lawn Mower Wheels**. Rear axles must have either lock collars or a nut and bolt through the axle, no longer will C-clips be allowed, Front spindles will use either lock collars or castle nuts with cotter pins, lock nuts will no longer be sufficient.

11. BUMPER/SIDE BARS: Closed loop rear bumpers and left side crash bars are mandatory and right-side crash bars recommended.

12. BODY: Body can be home made but must resemble a lawn tractor. No sharp edges. Rear fenders must not be wider than the bulge or widest part of the rear tires.

13. **MIN WEIGHT:** Min weight with driver is 500lbs

14. **NOTE: IF the rules don't say you can do it, YOU CAN'T!**

2020 STA-BIL National Lawn Mower Racing Series proposal

Due to the continuous effort to establish a National Race Series across the US we want to try a new approach for 2020. We have 20 established Chapter and Club Race Tracks under the USLMRA and we want to get you all involved. You will select one of your season races as a National Point Event, run it like a regular event and submit the results to the USLMRA for us to assign the points and upload it to our system.

- Each Chapter selected will provide one race date for the STA-BIL Series at their discretion.
- There is no fee paid to USLMRA.
- All STA-BIL Series race dates will be 1-day events, hosted and administered by a Local Chapter or Club. This will qualify the Racer for the STA-BIL Finals Championship Race
- USLMRA will assist Chapters in promotion of their events
- Chapter is responsible for race administration, tech inspection, furnishing Awards and providing results to USLMRA
- USLMRA staff will have no on-site responsibility
- All Racers MUST have a valid USLMRA Membership
- USLMRA national staff is responsible only for creating and publishing the Rules and providing insurance
- Chapters will be responsible for rules enforcement.
- USLMRA will tabulate points and maintain them on www.letsmow.com
- Champions will be decided by points after the Finals Race
- Sta-BIL Finals will remain as planned for Labor Day Weekend in Oregon
- USLMRA will provide season points trophies
- Paying venues can be added to the Series schedule. They will be staffed and run by USLMRA Officials
- All USLMRA members shall be welcomed to race at other USLMRA sanctioned tracks during their promoted event for points

VIII. STA-BIL NATIONAL LAWMOWER RACING SERIES, POINT SYSTEM AND AWARDS POLICY

The point system is designed to encourage and recognize participation. Points are awarded for all **US National Points races**. Points are awarded and trophies given for points winners in each class. Series point's winners will be announced at the conclusion of the **USLMRA Finals**. First through fifth place points winners will receive prizes and/or trophies. You are still allowed to make each and every Regional Points Race, should you have the time, money and desire. Your participation is always encouraged. When figuring the points standings, **USLMRA** will use the following procedures for the following:

USLMRA Championship Weekend will consist of a practice and the **USLMRA Finals**.

1) Qualifying for USLMRA Finals:

Racers in the USLMRA Finals *must qualify by class* competing in a minimum of one (1) USLMRA Series races.

2) Procedure to set the starting line-up for the USLMRA Finals:

The Top Ten racers in points in each class will grid by descending order, 1st thru 10th in Points. The remainder of the field will qualify through elimination or qualifying heat(s). If elimination heats are not required for a particular class, a gridding heat may be run.

3) Procedures for the Points Tie Breaker for the USLMRA Points Championship:

In the event of a TIE in points **coming into** the USLMRA Finals, we will first look at:

1. The amount of 1st place wins
2. Then 2nd place wins
3. Then 3rd place wins with the most breaking the tie
4. If this still does not settle the issue, we then go to the number of events attended

In the event of a TIE in points **after** the USLMRA Finals, we will first look at:

1. We will first go to the number of events attended
2. The amount of 1st place wins
3. Then 2nd place wins
4. Then 3rd place wins with the most breaking the tie
5. Finally the race finishes position in the USLMRA Finals

INTENT: To please as many people as possible. To recognize that it may be difficult to travel long distances and still allow racers to have a chance to win USLMRA National Points Trophies based on season-long participation. To award USLMRA Points Championships by placing less weight on the Final Race and placing equal weight on each race during the season.

It is possible that in the event of a tie for USLMRA National Points, a racer who finished behind another racer in the USLMRA Finals can still finish higher in year-end U.S. Points. This is by design and is intended to factor in a racers' performance over the duration of the season rather than use the finish in the USLMRA Finals as the 1st tiebreaker. USLMRA chooses to recognize and possibly reward support of the Series for the entire racing season.

USLMRA Points Structure

100 points each for registration, starting and finishing a point's race

100 points for 5th

150 points for 4th

200 points for 3rd

250 points for 2nd

300 points for 1st

Note: Mower must cross the finish line **under power** to receive points for that race unless mechanical failure occurs *on the white flag lap. (The driver can then push the mower across the finish line.)*

- A racer is allowed to race and receive points on an individual mower in the race class for which the mower was built for only.
- Races officially start after the green flag drops.
- The *race* is defined by the first complete lap by the lead mower.
- ***If a Yellow or red flag is thrown before the lead mower completes the first lap, the race will be restarted, And drivers lined up in original starting grid, but only once,*** if a second yellow/red flag is thrown before completion of the first lap, the race order will be determined by the order the mowers crossed the Start/Finish line at the start and the racer causing the 2nd Caution goes to the rear.

****Racers DQ'D will receive no points only "race credit" towards Qualifying for the USLMRA Finals for any race they received a disqualification (DQ).****

Code of Conduct for USLMRA Members and Guest

The United State Lawn Mower Racing Association (USLMRA) expects its staff, Local Chapter (LC) Presidents, racers, general membership, and volunteers to always act in a courteous, professional manner for the benefit and growth of lawnmower racing.

All members should keep in mind that the initial intent

The USLMRA reserves the right to accept, deny, suspend or revoke the membership of any member, or place any member on probation, for any action(s) deemed detrimental to the sport of lawnmower racing. Any member under suspension, revocation or probation may be barred from participation in any USLMRA Points race, non-points race, and any sanctioned and/or affiliated Local Chapter racing events. Additionally, any person whose membership has been suspended or revoked may be barred from entry to any area at any race venue controlled by the USLMRA or local chapter. These areas include but are not limited to: the race track, pit area, and any area used for race administration purposes.

As stated in the USLMRA Rulebook (Sect. II, par. I), “The driver is responsible for the conduct of his/her guests and crew, even while on the race track.” Should anyone attending a sanctioned event be found committing any detrimental act, that person will be removed from the premises, and the member driver will be held responsible for the conduct of that guest/crew member and will be subject to suspension or revocation of membership! Revocation, suspension or probation period of membership may be enacted without prior notice, and will be at the sole discretion of, and by majority agreement, of the USLMRA National Executive Staff.

Actions or conduct that may lead to suspension, revocation or probation include, but are not limited to:

1. A conscious effort by a member to ignore or circumvent in any way, USLMRA rules as defined in the Sta-Bil Racing Series Rulebook.
2. Verbal assault, either public or written, of any USLMRA staff member, LC official, volunteer, or other USLMRA member.
3. Physical assault of any USLMRA staff member, LC official, volunteer or USLMRA member.
4. Persistent on-track violations, including, but not limited to rough driving, passing under yellow, failure to follow on track instruction.
5. Any conscious effort to undermine the integrity of the USLMRA, its staff, LC officers, volunteers and fellow members.
6. Any conscious effort to undermine the ability of the USLMRA, its staff, LC officers, volunteers and fellow members to conduct their activities at any race venue hosting a USLMRA or LC sanctioned event.
7. Any disruptive behavior, which, in the opinion of track officials, Local Chapter officers and staff and/or USLMRA staff, interferes with the orderly conduct of sanctioned and/or affiliated lawn mower races.
8. Any conduct by a USLMRA member that includes bashing/bullying clubs, members, fellow racers, or USLMRA Staff members will not be tolerated at any time. This could be by ways of social media postings, initiating rumors, or direct un-sportsmanship actions/comments on or off event sites

Any member of the USLMRA National Executive Staff may give reasons for suspension, revocation, or probation in writing, to all offenders, at his or her discretion.

Appeal of any suspension, revocation or probation will be handled on an individual basis. However, the right to appeal may not be granted in every case. Any request for appeal must be submitted, in writing, to the USLMRA National Executive Staff, stating the specific reason(s) for the appeal. The National Executive Staff serves at the discretion of the USLMRA President.

The USLMRA National Executive Staff members are published in page 3 of this USLMRA Rulebook.

Suspensions or probation may be for a period of up to one year. Revocations will be considered permanent unless cause can be shown for reinstatement.